

EL ALETLERİ

0100

İki Ağız Anahtar Kısa Boy (mm)



TS 81 • DIN 895

KOD CODE	mm	L mm	a1 mm	b1 mm	b2 mm	g	TL/Ad.
0100 01 0405	04x05	97	3.5	11	12.5	15	5,56
0100 01 0607	06x07	97	3.5	14	16	18	5,71
0100 01 0608	06x08	108	3.5	14	18	20	-
0100 01 0708	07x08	108	3.5	16	18	20	-
0100 01 0709	07x09	108	4	16	20	25	-
0100 01 0809	08x09	108	4	18	20	30	5,80
0100 01 0810	08x10	117	4.6	18	22	33	5,99
0100 01 0910	09x10	120	4.6	20	22	30	-
0100 01 0911	09x11	120	4.6	20	24	30	-
0100 01 1011	10x11	120	4.6	22	24	41	6,36
0100 01 1012	10x12	120	4.6	22	26	35	6,36
0100 01 1013	10x13	120	4.6	22	28	38	6,80
0100 01 1014	10x14	133	5.2	22	30	50	-
0100 01 1113	11x13	133	5.2	26	28	50	-
0100 01 1114	11x14	133	5.2	24	30	50	6,99
0100 01 1213	12x13	133	5.2	26	28	57	6,99
0100 01 1214	12x14	147	5.2	26	30	59	6,99
0100 01 1314	13x14	147	5.2	28	30	66	6,99
0100 01 1315	13x15	147	5.8	28	32	65	-
0100 01 1415	14x15	147	5.8	30	32	78	8,16
0100 01 1317	13x17	162	6.2	28	36	80	9,24
0100 01 1417	14x17	162	6.2	30	36	90	9,51
0100 01 1617	16x17	162	6.2	34	36	109	9,51
0100 01 1719	17x19	178	7	36	40	143	10,19
0100 01 1819	18x19	178	7	38	40	144	10,19
0100 01 1820	18x20	178	7	38	42	125	11,54
0100 01 1822	18x22	195	7.4	38	46	160	11,54
0100 01 1722	17x22	195	7.4	36	46	160	-
0100 01 1922	19x22	195	7.4	40	46	175	11,54
0100 01 2022	20x22	195	7.4	42	46	196	11,54
0100 01 1924	19x24	213	7.7	40	50	200	-
0100 01 2123	21x23	213	7.7	44	48	230	12,06
0100 01 2224	22x24	213	8	46	50	239	12,63
0100 01 2226	22x26	232	8	46	54	250	-
0100 01 2227	22x27	232	8.2	46	56	260	-
0100 01 2426	24x26	232	8.2	50	54	297	13,00
0100 01 2427	24x27	232	8.2	50	56	296	13,00
0100 01 2528	25x28	248	8.6	52	57.5	366	16,15
0100 01 2430	24x30	265	9	50	62	370	-
0100 01 2730	27x30	265	9	56	62	380	-
0100 01 2732	27x32	265	9	56	66	415	19,30
0100 01 3032	30x32	265	9	62	66	465	19,30

0340


Cırcır Kombine Anahtar Takımı (mm)



KOD CODE	İÇERİK CONTENTS	g	TL/Ad.
0340 00 2108	8 - 9 - 10 - 11 12 - 13 - 17 - 19	720	8 201,38
0340 00 2112	8 - 9 - 10 - 11 12 - 13 - 14 - 15 16 - 17 - 18 - 19	1315	12 318,34
0340 00 2115	8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 19 - 21 - 22 - 24	2445	15 445,02

0100

İki Ağız Anahtar Takımı Kısa Boy (mm)



KOD CODE	İÇERİK CONTENTS	g	TL/Ad.
0100 00 2106	6x7 - 8x9 - 10x11 12x13 - 14x15 - 16x17	406	6 42,54
0100 00 2108	6x7 - 8x9 - 10x11 12x13 - 14x15 - 16x17 18x19 - 20x22	736	8 64,27
0100 00 2110	6x7 - 8x9 - 10x11 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 24x26	1254	10 89,33
0100 00 2112	6x7 - 8x9 - 10x11 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 24x26 - 25x28 - 30x32	2110	12 124,78

0340

Cırcır Kombine Anahtar (mm)



KOD CODE	mm	L mm	a1 mm	a2 mm	b1 mm	øD mm	g	TL/Ad.
0340 02 0008	8	140	3.9	6.5	16.7	16.9	30	21,04
0340 02 0009	9	150	4.3	6.9	18.7	18.6	35	21,74
0340 02 0010	10	160	4.6	7.3	20.7	20.5	50	22,43
0340 02 0011	11	165	5.2	7.7	22.8	22.2	60	22,43
0340 02 0012	12	170	5.4	8.2	24.9	23.2	70	23,83
0340 02 0013	13	180	5.5	8.7	26.9	25	85	25,10
0340 02 0014	14	190	6	9	29.3	27.6	105	26,06
0340 02 0015	15	200	6.5	9.5	31.2	28.8	120	27,61
0340 02 0016	16	210	7.3	9.9	33.1	30.4	145	30,60
0340 02 0017	17	225	7.7	10.4	35.2	32.2	165	31,10
0340 02 0018	18	235	7.9	10.8	37.5	33.1	195	32,69
0340 02 0019	19	245	8.2	11.3	39.5	34.6	225	33,69
0340 02 0021	21	290	8.5	13	45.2	40.3	330	36,75
0340 02 0022	22	290	8.7	13.1	45.6	40.3	325	41,85
0340 02 0024	24	325	9.7	14.6	51.5	46.3	475	48,08

0345

Mafsallı Cırcır Kombine Anahtar (mm)



KOD CODE	mm	L mm	a1 mm	a2 mm	b mm	øD mm	g	TL/Ad.
0345 02 0008	8	127	4.3	6.5	16.2	16.7	35	31,57
0345 02 0009	9	131.5	4.6	6.9	18.2	18.6	40	32,61
0345 02 0010	10	136	5	7.3	20.3	20	55	33,66
0345 02 0011	11	141	5.4	7.7	22.5	21.8	65	33,66
0345 02 0012	12	147.5	5.8	8.2	24.3	23	80	35,74
0345 02 0013	13	154	6.1	8.6	26.8	25.2	90	37,64
0345 02 0014	14	160	6.4	9	28.7	26.8	110	39,10
0345 02 0015	15	169	6.9	9.4	30.5	28.3	130	41,41
0345 02 0016	16	179	7.2	9.9	32.9	29.8	150	45,91
0345 02 0017	17	190	7.6	10.3	34.5	31.8	175	46,64
0345 02 0018	18	200	8	10.8	37.2	32.6	195	49,04
0345 02 0019	19	215	8.6	11.2	39.2	33.9	240	50,51

EL ALETLERİ

0320

Kombine Anahtar Kısa Boy (mm)

TS 3794 • DIN 3113



KOD CODE	mm	L mm	a1 mm	a2 mm	b1 mm	øD mm	g	TL/Ad.
0320 02 0006	5	100	3.4	5.1	14	10	15	7,26
0320 02 0006	5.5	100	3.4	5.1	14	10	15	7,26
0320 02 0006	6	100	3.4	5.1	14	10	15	7,53
0320 02 0007	7	110	3.6	5.5	16	11	20	8,02
0320 02 0008	8	120	3.8	5.9	18	13	25	8,70
0320 02 0009	9	130	4	6.3	20	14	30	8,95
0320 02 0010	10	140	4.3	6.9	22	15.5	40	10,09
0320 02 0011	11	150	4.5	7.3	24	17	45	10,39
0320 02 0012	12	160	4.9	7.7	26	18.5	55	11,07
0320 02 0013	13	170	5.2	7.9	28	19.5	60	11,32
0320 02 0014	14	180	5.5	8.7	30	21.5	75	12,25
0320 02 0015	15	190	5.8	9.1	32	22.5	90	13,10
0320 02 0016	16	200	6.1	9.6	34	24	105	14,06
0320 02 0017	17	210	6.4	9.8	36	25.5	120	15,03
0320 02 0018	18	220	6.8	10.4	38	27	145	16,76
0320 02 0019	19	232	7	11	40	28.5	170	17,61
0320 02 0020	20	240	7.2	11.4	42	30	195	17,93
0320 02 0021	21	250	7.4	12	44	31.5	190	20,83
0320 02 0022	22	260	8.2	12.6	46	33	275	23,87
0320 02 0023	23	270	8.3	13	48	35	255	23,87
0320 02 0024	24	280	8.5	13.6	50	36.5	320	29,20
0320 02 0025	25	290	8.8	14	52	39	320	29,20
0320 02 0026	26	300	9	14.8	54	41	400	34,41
0320 02 0027	27	310	9.3	15	56	41.5	400	34,41
0320 02 0028	28	320	9.4	15.4	57.5	42.5	380	34,41
0320 02 0029	29	330	10	15.6	59	43.5	510	39,41
0320 02 0030	30	340	10.3	16	61.5	44	505	39,41
0320 02 0032	32	370	10.5	16.2	65.5	47	560	41,45
0320 02 0034	34	400	10.7	16.8	71	50	675	43,38

0320

Kombine Anahtar Takımı Kısa Boy (mm)



KOD CODE	İÇERİK CONTENTS	g	TL/Ad.
0320 00 2106	8 - 9 - 11 - 13 - 17 - 19	460	6 72,00
0320 00 2108	6 - 7 - 8 - 9 - 10 - 13 - 17 - 19	475	8 87,25
0320 00 2110	8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22	1015	10 129,28
0320 00 2112	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 - 22	1190	12 156,44
0320 00 2117	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22	1760	17 227,51
0320 00 2121	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32	3650	21 372,00

0430

Yıldız İki Ağız Anahtar (mm)

TS 3794 • DIN 838



KOD CODE	mm	L mm	a1 mm	a2 mm	b1 mm	b2 mm	g	TL/Ad.
0430 03 0607	6x7	176	5.6	6	10	11.5	55	10 13,15
0430 03 0809	8x9	190	6.4	6.8	13	14.5	75	10 13,32
0430 03 0810	8x10	190	6.4	7.3	13	15.5	70	10 13,32
0430 03 1011	10x11	206	7.3	7.6	15.5	17	105	10 14,81
0430 03 1012	10x12	206	7.3	8.5	15.5	18.5	105	10 14,81
0430 03 1013	10x13	220	7.3	9	15.5	20	120	10 -
0430 03 1014	10x14	220	7.3	9.5	15.5	21.5	120	10 -
0430 03 1113	11x13	220	7.6	9	17	20	130	10 16,76
0430 03 1213	12x13	220	8.5	9	18.5	20	135	10 16,76
0430 03 1214	12x14	220	8.5	9.5	18.5	21.5	145	10 16,76
0430 03 1315	13x15	236	9	10	20	23	170	10 -
0430 03 1415	14x15	236	9.5	10	21.5	23	180	10 17,61
0430 03 1317	13x17	250	9	11.5	20	26.5	215	10 19,96
0430 03 1417	14x17	250	9.5	11.5	21.5	26.5	210	10 19,96
0430 03 1617	16x17	250	10.8	11.5	25	26.5	220	10 19,96
0430 03 1618	16x18	250	10.8	12	25	27.5	210	10 23,84
0430 03 1719	17x19	271	11.5	12.5	26.5	29	270	10 23,84
0430 03 1819	18x19	271	12	12.5	27.5	29	270	10 23,84
0430 03 1922	19x22	291	12.5	13.5	29	33	330	5 26,11
0430 03 1924	19x24	311	12.5	14.2	29	36.5	345	5 26,11
0430 03 2022	20x22	291	12.9	13.5	30.5	33	330	5 26,11
0430 03 2123	21x23	311	13.1	14	32	35	410	5 29,98
0430 03 2224	22x24	321	13.5	14.2	33	36.5	410	5 29,98
0430 03 2227	22x27	331	14.2	15	36.5	40.5	500	5 -
0430 03 2426	24x26	331	14.2	14.6	36.5	39.5	495	5 34,91
0430 03 2427	24x27	331	14.2	15	36.5	40.5	495	5 34,91
0430 03 2430	24x30	352	14.2	16.7	36.5	40	530	5 38,24
0430 03 2528	25x28	352	14.5	15.5	38	42.5	550	5 38,24
0430 03 2729	27x29	371	15	16.7	40.5	45	660	5 42,07
0430 03 2730	27x30	371	15	16.7	40.5	45	660	5 42,07
0430 03 2732	27x32	371	15	16.7	40.5	47.5	660	5 42,07
0430 03 3032	30x32	371	16.4	16.7	45	47.5	660	5 42,07
0430 03 3034	30x34	379	16.4	16.9	45	50	690	5 -
0430 03 3036	30x36	402	16.4	17.5	45	53	880	5 64,95
0430 03 3236	32x36	402	16.7	17.5	47.5	53	890	5 64,95
0430 03 3436	34x36	420	17.1	17.5	50	53	1000	5 79,39
0430 03 3641	36x41	438	17.5	19.5	53	61	1150	5 88,27
0430 03 4146	41x46	485	19.5	20.5	61	67.5	1430	5 121,00
0430 03 4650	46x50	535	20.5	22.4	67.5	73.5	1960	5 192,56

0430

Yıldız İki Ağız Anahtar Takımı (mm)



KOD CODE	İÇERİK CONTENTS	g	TL/Ad.
0430 00 2106	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17	820	6 95,60
0430 00 2108	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22	1450	8 145,54
0430 00 2110	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26	2405	10 210,44
0430 00 2112	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 27x32	3610	12 290,74

EL ALETLERİ

1513

1/2" Cırcır Kolu (72 Diş)

TS ISO 3315 • DIN 3122



KOD CODE	L mm	g	TL/Ad.
1513 06 0072	250	460	5 76,56

1113

1/2" Altı Köşe Lokma Anahtar (mm)

TS ISO 2725 • DIN 3124



KOD CODE	mm	ø D1 mm	ø D2 mm	L mm	L1 mm	g	TL/Ad.
1113 06 1008	8	13.2	21.8	38	7	55	10 7,44
1113 06 1009	9	14	21.8	38	7	55	10 7,44
1113 06 1010	10	15	23.3	38	8	55	10 12,33
1113 06 1011	11	16.4	23.3	38	8	60	10 12,33
1113 06 1012	12	17.8	23.3	38	9	60	10 12,33
1113 06 1013	13	19	23.3	38	10	65	10 13,25
1113 06 1014	14	20.4	23.3	38	11	65	10 13,25
1113 06 1015	15	21.6	23.3	38	11	65	10 13,25
1113 06 1016	16	22.9	24	38	11	70	10 13,87
1113 06 1017	17	24	22.5	38	12	70	10 13,87
1113 06 1018	18	25.2	23	38	13	75	10 13,87
1113 06 1019	19	26.8	23	38	13	75	10 14,48
1113 06 1020	20	28	23	38	13	80	10 14,48
1113 06 1021	21	29.2	23	38	13	85	5 14,48
1113 06 1022	22	30.2	24	40	15	95	5 14,48
1113 06 1023	23	31.4	25	40	15	100	5 15,11
1113 06 1024	24	32.6	26	42	17	115	5 15,11
1113 06 1025	25	34	27	42	17	125	5 15,11
1113 06 1026	26	35.3	28	42	17	135	5 15,11
1113 06 1027	27	36.6	28	42	19	140	5 17,33
1113 06 1028	28	37.8	30	42	20	160	5 17,33
1113 06 1029	29	39	30	44	21	170	5 17,33
1113 06 1030	30	40	29.5	44	21	180	5 17,33
1113 06 1032	32	42.5	30	44	23	190	5 17,33

0600

Kurbağacık Anahtar

TS 3796 • DIN 3117



KOD CODE	L mm	L inch	a mm	g	TL/Ad.
0600 01 1006	160	6"	18	120	5 32,01
0600 01 1008	208	8"	23	230	5 47,20
0600 01 1010	260	10"	28	400	5 60,83
0600 01 1012	308	12"	34	670	5 84,16
0600 01 1015	388	15"	43	1555	1 131,91

2505

Standart Ayarlı Pense

TSEK



KOD CODE	L mm	L inch	mm	g	TL/Ad.
2505 11 0250	250	10"	30	535	1 68,05

2201

Maşalı Boru Anahtarı (85°)

TS 3796



KOD CODE	L mm	mm	ÖLÇÜ SIZE Inch	g	TL/Ad.
2201 10 0010	325	40	1"	870	1 65,36
2201 10 0015	430	60	1 1/2"	1585	1 101,27
2201 10 0020	585	70	2"	2700	1 151,72
2201 10 0030	690	100	3"	4270	1 230,00
2201 10 0040	760	130	4"	5800	1 345,00

2400

Üniversal Fort Pense

TS 60 • DIN ISO 8976



KOD CODE	L mm	L inch	mm	g	TL/Ad.
2400 11 0160	160	6 1/4"	30	125	5 43,12
2400 11 0240	240	9 1/2"	35	355	5 55,35
2400 11 0315	305	12 1/2"	40	530	5 103,31

3020

Kombine Pense Opak

TS 60 • TS 11068 • DIN ISO 5744
DIN ISO 5746



KOD CODE	L mm	L inch	MODEL	g	TL/Ad.
3020 12 2160	160	6 1/4"	OPAK	205	5 39,17
3020 12 2180	180	7 1/8"	OPAK	275	5 44,63
3020 12 2200	200	8"	OPAK	315	5 50,08

3020

Kombine Pense Kraft

TS 60 • TS 11068 • DIN ISO 5744
DIN ISO 5746



KOD CODE	L mm	L inch	MODEL	g	TL/Ad.
3020 12 3160	160	6 1/4"	KRAFT	225	5 48,38
3020 12 3180	180	7 1/8"	KRAFT	285	5 53,70
3020 12 3200	200	8"	KRAFT	380	5 60,32

3220

Uzun Kargaburun Düz Uçlu Opak

TS 60 • TS 11067



TSE


TSEK

KOD CODE	L mm	L inch	MODEL	g	TL/Ad.
3220 13 2140	140	5 1/2"	OPAK	110	5 40,28
3220 13 2160	160	6 1/4"	OPAK	135	5 45,16
3220 13 2180	180	7 1/8"	OPAK	170	5 49,27
3220 13 2200	200	8"	OPAK	205	5 52,63




EL ALETLERİ

3301

Dış Segman Pense (Yaylı Düz)

TS 60 • DIN 5254 






KOD CODE	L mm				TL/Ad.
3301 12 0140	140	10 - 25	90	5	46,00
3301 12 0180	180	19 - 60	195	5	48,43
3301 12 0225	225	40 - 100	235	5	60,60
3301 12 0295	295	85 - 165	445	5	102,78

3321

İç Segman Pensi (Yaysız Düz)

TS 60 • DIN 5256 






KOD CODE	L mm				TL/Ad.
3321 12 0140	140	8 - 25	100	5	42,30
3321 12 0180	180	19 - 60	185	5	44,63
3321 12 0225	225	40 - 100	250	5	55,64
3321 12 0310	310	85 - 165	445	5	95,47

3311

Dış Segman Pense (Yaylı Eğri)

TS 60 • DIN 5254 






KOD CODE	L mm				TL/Ad.
3311 12 0125	125	10 - 25	105	5	51,36
3311 12 0170	170	19 - 60	190	5	54,11
3311 12 0210	210	40 - 100	250	5	57,32
3311 12 0275	275	85 - 165	445	5	108,06

3331

İç Segman Pensi (Yaysız Eğri)

TS 60 • DIN 5256 





KOD CODE	L mm				TL/Ad.
3331 12 0130	130	8 - 25	105	5	45,49
3331 12 0170	170	19 - 60	185	5	47,90
3331 12 0210	210	40 - 100	250	5	59,77
3331 12 0290	290	85 - 165	440	5	102,72

3700

Yan Keski Opak

TS 60 • DIN ISO 5749 





KOD CODE	L mm	L inch	MODEL			TL/Ad.
3700 16 2140	140	5 1/2"	OPAK	165	5	41,40
3700 16 2160	160	6 1/4"	OPAK	230	5	49,76
3700 16 2180	180	7 1/8"	OPAK	230	5	58,06

3700

Yan Keski Kraft

TS 60 • DIN ISO 5749 





KOD CODE	L mm	L inch	MODEL			TL/Ad.
3700 16 3140	140	5 1/2"	KRAFT	190	5	49,88
3700 16 3160	160	6 1/4"	KRAFT	240	5	59,90
3700 16 3180	180	7 1/8"	KRAFT	255	5	69,85

3830

Betoncu Kerpeteni

TS 60 • DIN ISO 9242 





KOD CODE	L mm	L inch			TL/Ad.
3830 15 0200	200	8"	290	5	-
3830 15 0225	225	9"	345	5	41,08
3830 15 0250	250	10"	395	5	45,37
3830 15 0280	280	11"	450	5	50,80

3510

Elektronikçi Yan Keski





KOD CODE	L mm			TL/Ad.
3510 14 0115	115	60	5	34,14

3512

Elektronikçi Tepe Keski





KOD CODE	L mm			TL/Ad.
3512 14 0105	105	65	5	37,55

3530

Elektronikçi Pense



KOD CODE	L mm			TL/Ad.
3530 14 0110	110	80	5	32,77

EL ALETLERİ

3860

Testere Çaprazı



TSEK

KOD CODE	L mm	L inch	g	□	TL/Ad.
3860 26 0180	180	7 1/8"	245	5	55,92

4100

Kraft Seri Düz Uçlu Tornavida

TS 59 • DIN 5264 • DIN 5265



TSE

KOD CODE	ØDxL1 mm	⊖		L mm	g	□	TL/Ad.
		a mm	b mm				
4100 17 0340	3x40	0.5	3	110	20	10	5,92
4100 17 0380	3x80	0.5	3	155	35	10	7,12
4100 17 0480	4x80	0.8	4	165	50	10	7,39
4100 17 4100	4x100	0.8	4	185	50	10	8,89
4100 17 0580	5x80	1.0	5.5	175	70	10	8,32
4100 17 5100	5x100	1.0	5.5	195	75	10	10,79
4100 17 5125	5x125	1.0	5.5	220	80	10	12,49
4100 17 5150	5x150	1.0	5.5	245	80	10	13,59
4100 17 6100	6x100	1.2	6.5	195	85	10	11,19
4100 17 6125	6x125	1.2	6.5	220	90	10	12,82
4100 17 6150	6x150	1.2	6.5	245	95	10	14,01
4100 17 6175	6x175	1.2	6.5	270	100	10	18,33
4100 17 7125	7x125	1.2	8	230	120	10	14,31
4100 17 7150	7x150	1.2	8	255	130	10	16,48
4100 17 7175	7x175	1.2	8	280	135	10	19,16
4100 17 8150	8x150	1.6	10	255	145	10	19,03
4100 17 8175	8x175	1.6	10	280	150	10	19,99
4100 17 8200	8x200	1.6	10	305	160	10	24,83
4100 17 9200	9x200	2.0	12	305	190	10	26,49
4100 17 1125	11x250	2.5	14	365	305	10	33,10

4100

Kraft Seri Düz Uçlu Tornavida Seti (8 Parça)

TSE



KOD CODE	İÇERİK CONTENTS	g	□	TL/Ad.
4100 00 8108	3x80 - 4x80 - 4x100 5x100 - 5x125 - 6x100 6x125 - 6x150 ⊖ Düz uçlu/Flat	550	1	84,71

4100

Kraft Seri Tornavida Seti (7 parça)



TSE

KOD CODE	İÇERİK CONTENTS	g	□	TL/Ad.
4100 00 8107	⊖ 3x80 - 4x80 - 4x100 5x125 - 6x150 Düz uçlu/Flat ⊕ 4.5x80 - 6x100 Yıldız uçlu/Phillips	445	1	75,02

4120

Kraft Seri Yıldız Uçlu Tornavida

TS 59 • DIN ISO 8764



TSE

KOD CODE	ØDxL1 mm	⊕	L mm	g	□	TL/Ad.
4120 18 0360	3x60	Ph0	135	30	10	7,88
4120 18 4580	4.5x80	Ph1	165	55	10	11,37
4120 18 5100	4.5x100	Ph1	185	55	10	12,66
4120 18 5150	4.5x150	Ph1	235	60	10	15,18
4120 18 6100	6x100	Ph2	195	85	10	13,74
4120 18 6150	6x150	Ph2	245	95	10	16,49
4120 18 6200	6x200	Ph2	295	105	10	21,43
4120 18 8150	8x150	Ph3	255	150	10	26,16
4120 18 1200	10x200	Ph4	315	240	10	40,57

4120

Kraft Seri Yıldız Uçlu Tornavida Seti (6 parça)

TSE



KOD CODE	İÇERİK CONTENTS	g	□	TL/Ad.
4120 00 8106	⊕ 3x60 - 4.5x80 4.5x100 - 4.5x150 6x100 - 6x150 Yıldız uçlu/Phillips	380	1	77,32

4300

Rod Seri Düz Uçlu Tornavida

TS 59 • DIN 5264 • DIN 5265



TSE

KOD CODE	ØDxL1 mm	⊖		L mm	g	□	TL/Ad.
		a mm	b mm				
4300 17 0380	3x80	0.5	3	155	25	10	6,50
4300 17 0480	4x80	0.8	4	165	35	10	6,71
4300 17 4100	4x100	0.8	4	185	40	10	8,11
4300 17 5100	5x100	1.0	5.5	195	60	10	9,81
4300 17 5125	5x125	1.0	5.5	220	60	10	11,35
4300 17 6100	6x100	1.2	6.5	195	65	10	10,17
4300 17 6125	6x125	1.2	6.5	220	70	10	11,66
4300 17 6150	6x150	1.2	6.5	245	80	10	12,72
4300 17 7125	7x125	1.2	8	230	95	10	13,01
4300 17 7150	7x150	1.2	8	255	105	10	14,97
4300 17 8175	8x175	1.6	10	280	130	10	18,17
4300 17 9200	9x200	2.0	12	305	165	10	24,08
4300 17 1125	11x250	2.5	14	365	270	10	30,08

4320

Rod Seri Yıldız Uçlu Tornavida

TS 59 • DIN ISO 8764



TSE

KOD CODE	ØDxL1 mm	⊕	L mm	g	□	TL/Ad.
4320 18 0360	3x60	Ph0	135	25	10	7,19
4320 18 4580	4.5x80	Ph1	165	40	10	10,34
4320 18 6100	6x100	Ph2	195	70	10	12,50
4320 18 8150	8x150	Ph3	255	140	10	23,78

EL ALETLERİ

4300

Rod Seri Tornavida Seti (7 Parça)



KOD CODE	İÇERİK CONTENTS	g		TL/Ad.
4300 00 8107	3x80 - 4x80 - 4x100	520	1	68,23
	5x125 - 6x150			
	Düz uçlu/Flat			
	4,5x80 - 6x100			
	Yıldız uçlu/Phillips			

4920

T Tipi Allen Anahtar Takımı (8 Parça, mm)



KOD CODE	İÇERİK CONTENTS	g		TL/Ad.
4920 00 8108	2.5 - 3 - 4 - 5 6 - 7 - 8 - 10	760	8	135,43

4909


T Tipi Torx Allen Anahtar (mm) Takımı (8 Parça, mm)



KOD CODE	İÇERİK CONTENTS	g		TL/Ad.
4909 00 8108	T9-T10-T15-T20-T25-T27 T30-T40	407	1	166,30

4900

Allen Anahtar Takım Altı Köşe (mm)



KOD CODE	İÇERİK CONTENTS	g		TL/Ad.
4900 00 3110	2 - 2.5 - 3 - 4 - 5 - 6 7 - 8 - 9 - 10	400	10	34,80
4900 00 3112	2 - 2.5 - 3 - 3.5 - 4 - 5 6 - 7 - 8 - 9 - 10 - 12	565	12	46,28

4500 Elektronikçi Tip (Klemens) Düz Uçlu Tornavida



KOD CODE	ØDxL1 mm	-		L mm	g		TL/Ad.
		a mm	b mm				
4500 17 2560	2.5x60	0.4	2.5	140	15	10	5,71
4500 17 2580	2.5x80	0.4	2.5	160	15	10	6,36
4500 17 0380	3x80	0.5	3	160	15	10	6,75
4500 17 3100	3x100	0.5	3	180	20	10	8,25
4500 17 3125	3x125	0.5	3	205	20	10	10,89
4500 17 3510	3.5x100	0.6	3.5	180	20	10	8,52
4500 17 0480	4x80	0.8	4	160	20	10	6,93
4500 17 4100	4x100	0.8	4	180	20	10	8,52
4500 17 4125	4x125	0.8	4	205	25	10	11,48
4500 17 4150	4x150	0.8	4	230	25	10	12,49

4520

Elektronikçi Tip (Klemens) Yıldız Uçlu Tornavida



KOD CODE	ØDxL1 mm	+	L mm	g		TL/Ad.
4520 18 0360	3x60	Ph0	140	15	10	7,13
4520 18 3100	3x100	Ph0	180	20	10	-
4520 18 0480	4x80	Ph0	160	20	10	10,26
4520 18 4100	4x100	Ph0	180	20	10	-
4520 18 4150	4x150	Ph0	230	25	10	13,74

4500

Elektronikçi Tip (Klemens) Tornavida Seti (6 Parça)



KOD CODE	İÇERİK CONTENTS	g		TL/Ad.
4500 00 8106	3x80 - 3x100	115	1	55,78
	3x125 - 4x150			
	Düz uçlu/Flat			
	3x60 - 4x80			
	Yıldız uçlu/Phillips			

4550

Elektrik Kontrol Kalem



TS 13108



KOD CODE	L mm	-		L1 mm	g		TL/Ad.
		a mm	b mm				
4550 17 0135	135	0.5	3	60	20	10	8,71
4550 17 0190	190	0.8	4	100	35	10	10,98

4903 Allen Anahtar Takım Altı Köşe Uzun Boy (mm)



KOD CODE	İÇERİK CONTENTS	g		TL/Ad.
4903 00 3110	2 - 2.5 - 3 - 4 - 5 - 6 7 - 8 - 9 - 10	660	10	47,80
4903 00 3112	2 - 2.5 - 3 - 3.5 - 4 - 5 6 - 7 - 8 - 9 - 10 - 12	940	12	63,60

EL ALETLERİ

5800

Tesviyeci Çekiç



TS 5 • DIN 1041



KOD CODE	L mm	L1 mm	g	g		TL/Ad.
5800 25 0100	260	82	100	160	10	16,12
5800 25 0200	280	95	200	260	10	21,75
5800 25 0300	300	105	300	395	10	26,51
5800 25 0500	320	118	500	600	5	33,52
5800 25 0800	350	130	800	950	5	-
5800 25 1000	360	135	1000	1095	5	51,48
5800 25 1500	380	145	1500	1630	5	70,00
5800 25 2000	400	155	2000	2100	5	86,13

5820

Camcı Çekici



KOD CODE	L mm	L1 mm	g	g		TL/Ad.
5820 25 0125	300	110	125	160	10	23,68

6400

Keser



KOD CODE	L mm	h mm	g	g		TL/Ad.
6400 25 0600	400	125	400	550	5	52,56

03751

Koaksiyel Kablo Sıyırıcı



KOD CODE	ÖLÇÜ SIZE	g		TL/Ad.
03751 50 012	Dış (1) İç (2)	20	5	37,55

03752

Kablo Sıyırıcı



KOD CODE	ÖLÇÜ SIZE	g		TL/Ad.
03752 50 625	Tek 6/300 Çok 1.5/25	70	5	26,30

03753

Mekanik Kablo Sıyırıcı



KOD CODE	ÖLÇÜ SIZE	g		TL/Ad.
03753 50 054	0,5/4	100	5	49,49

05881

Plastik, Krom Şerit Metre


TS 9505



KOD CODE	ÖLÇÜ SIZE	g	MODEL		TL/Ad.
05881 50 003	3	145	Plastik/Plastic	5	8,00
05881 50 005	5	200	Plastik/Plastic	5	9,80
05881 50 013	3	160	Krom/Chrom	5	10,38
05881 50 015	5	220	Krom/Chrom	5	12,12

05886

Arazi Tipi Fiberglas Şerit Metre (Saplı)



KOD CODE	ÖLÇÜ SIZE M	g		TL/Ad.
05886 50 020	20	520	1	37,86
05886 50 030	30	585	1	40,41
05886 50 050	50	820	1	64,97

05890

Testere Kolu

DIN 6473



KOD CODE	L mm	g		TL/Ad.
05890 50 830	300	540	5	40,88

05886

Arazi Tipi Fiberglas Şerit Metre



KOD CODE	ÖLÇÜ SIZE M	g		TL/Ad.
05886 50 130	30	445	1	41,75

03754

İnce Kablo Sıyırıcı



KOD CODE	ÖLÇÜ SIZE	g		TL/Ad.
03754 50 258	0,25/0,8	40	5	95,56

EL ALETLERİ

6195

Perçin Tabancası



KOD CODE	ÖLÇÜ SIZE	CAPACITY mm	g		TL/Ad.
6195 26 0260	260	2.5 - 3.2 - 4 - 4.8	625	1	60,96

6230

Gres Pompası



KOD CODE	ÖLÇÜ SIZE cc	g		TL/Ad.
6230 26 0300	300	1200	1	36,90
6230 26 0500	500	1320	1	44,80

6210

Kaportacı Makası (Sağ)



TSEK DIN 6438

KOD CODE	L mm	L inch	g		TL/Ad.
6210 27 0250	250	10"	555	5	63,56
6210 27 0275	275	11"	600	5	69,50
6210 27 0300	300	12"	640	5	83,34

6211

Kaportacı Makası (Sol)



TSEK DIN 6438

KOD CODE	L mm	L inch	g		TL/Ad.
6211 27 0250	250	10"	535	5	63,56
6211 27 0275	275	11"	605	5	69,50
6211 27 0300	300	12"	665	5	83,34

6820

Tenekeci Makası



TSEK

KOD CODE	L mm	L inch	g		TL/Ad.
6820 27 0200	200	8"	320	5	52,98
6820 27 0250	250	10"	575	5	61,51
6820 27 0300	300	12"	870	5	73,79

6740

Kombine Makas



KOD CODE	L mm	L inch	g		TL/Ad.
6740 27 0140	140	5 1/2"	60	5	35,00
6740 27 0190	190	7 1/2"	120	5	39,67

6815

Tel Kesme Makası



KOD CODE	L mm	L inch	g		TL/Ad.
6815 27 0200	200	8"	295	5	18,42

6821

Tenekeci Makası (Yaylı)



TSEK

KOD CODE	L mm	L inch	g		TL/Ad.
6821 27 0250	250	10"	575	5	66,84
6821 27 0300	300	12"	895	5	80,46

6710

Bağ Makası (Lüks)



TS 3306

KOD CODE	L mm	L inch	g		TL/Ad.
6710 27 0230	230	9"	390	5	51,27

06373

Kayıklı Yağ Filtresi Sökeceği



KOD CODE	Ø mm	g		TL/Ad.
06373 50 140	60x140	245	1	55,72

06375

Ayarlı Yağ Filtresi Sökeceği



KOD CODE	Ø mm	g		TL/Ad.
06375 50 100	100	215	1	21,80